APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office
Returned to applicant for correction
Corrected application filed
Map filed SEP 17 1974
Donald C Norma Direct D. J. C.
The applicant Donald & Norma Rizzi - Boyack Surveying, Inc. Agent
582½ West Cedar St. , of Elko Street and No. or P.O. Box No. City or Town
Nevada 89801 , hereby make application for permission to appropriate the pub
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation)
tion; if a copartnership or association, give names of members.)
1. The source of the proposed appropriation is Rizzi Spring Name of stream, lake or other source.
2. The amount of water applied for is 0.5 One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feetacre-fe
3. The water to be used for Stockwater & domestic Irrigation, power, mining, manufacturing, domestic, or other use.
1rrigation, power, mining, manufacturing, domestic, or other use. 4. If use is for:
(a) Irrigation (state number of acres to be irrigated)
(b) Stockwater (state number and kinds of animals to be watered) 500 cattle
(c) Other use (describe fully under "No. 12. Remarks")
(d) Power:
(1) Horsepower developed
(2) Point of return of water to stream
5. The water is to be diverted from its source at the following point: SW SE Section 29, T.45N
R.54E, MDM from which the SW Corner of Section 30, T.45N., R.54E Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed land,
MDM bears S. 83° 44' 30" W 9111.67 feet.
it should be stated. 6. Place of use $SW^{\frac{1}{4}} NW^{\frac{1}{4}}$ Section 29, T.45N., R.54E, MDM
Describe by legal subdivision, if on unsurveyed land it should be so stated.
January 1
7. Use will begin about January 1 and end about December 31, of each year. Day and Month Day and Month
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans ar
specifications of your diversion or storage works.) Spring to be developed and fenced
and a 3" pipe line is to be used to transfere water to the Place State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other conduits. of Use.

	Estimated cost of works \$5000
	Estimated time required to construct works 3 yrs.
11.	Estimated time required to complete the application to beneficial use 4 yrs.
	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	Donald or Norma Rizzi
	licant
	ByAlan.SBoyackBoyack.Surveying
Com	bs/jw lk/ga 582% West Cedar St. Elko, Nevada 89801
	APPROVAL OF STATE ENGINEER
	This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the
C 11 -	wing limitations and conditions:
so is ob us of	This permit is issued subject to all existing rights on the urce. It is understood that the amount of water herein granted only a temporary allowance and that the final water right tained under this permit will be dependent upon the period of e and the average number of livestock served from the waters this source. The State retains the right to regulate the use the water herein granted at any and all times but does not ke responsibility for the use of the Federal range.
	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.0156 cubic feet per second, or sufficient water
not	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not to	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.0156 cubic feet per second, or sufficient water
to Acti	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.0156 cubic feet per second, or sufficient water water 500 head of cattle.
to to Acti	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.0156 cubic feet per second, or sufficient water water 500 head of cattle. July 20, 1975
to to Acti Prod	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.0156 cubic feet per second, or sufficient water water 500 head of cattle. Tally 20, 1975 To for commencement of work shall be filed before. August 20, 1975
to Acti Proc	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed. 0.0156 cubic feet per second, or sufficient water water 500 head of cattle. The construction work shall begin on or before. July 20, 1975 The for commencement of work shall be filed before. August 20, 1976 The water 500 head of cattle and be completed on or before. July 20, 1976 The formula for completion of work shall be filed before. August 20, 1976 The formula for completion of work shall be filed before. August 20, 1976
to Actu Proc Wor	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.0156
not in to	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.0156 cubic feet per second, or sufficient water water 500 head of cattle. July 20, 1975 of of commencement of work shall be filed before. August 20, 1975 of of completion of work shall be filed before. August 20, 1976 of of completion of work shall be filed before. August 20, 1976 of of completion of work shall be filed before. August 20, 1976 of of the application of water to beneficial use shall be filed on or before August 20, 1977
Actu Proc App Proc Map Com Proc	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and to exceed 0.0156